Skylone Teknoloji Sanayi ve Ticaret Limited Şirketi Barbaros Mah. Kardelen Sk. No:2, Palladium Tower, K10 34746, Ataşehir, İSTANBUL Telefon: +90 (216) 687 0363 Fax: +90 (216) 687 0303

http://skylone.com/



### Integrated Enterprise Hotspot Solution





# DISCLAIMER





This document contains confidential information and materials provided by Skylone Technology Ltd.

This document, information and ideas herein may not be disclosed, copied, reproduced or distributed to anyone outside Skylone Technology Ltd. without prior written consent of Skylone Technology Ltd.

Skylone Technology Ltd. MAKES NO WARRANTIES, EXPRESS OR IMPLIED, WITH THIS DOCUMENT. Skylone Technology Ltd. intends the information contained in this document and materials provided to be accurate and reliable. However, errors may occasionally occur. Therefore, all information and materials are provided "AS IS" without any warranty of any kind.

This document and materials are subject to change without notice.

Skylone Technology Ltd. may have patents, patent applications, trademarks, copyrights or other intellectual property rights covering subject matter in this document. Furnishing of the documents or materials delivered does not give you any license to trademarks, copyrights or other intellectual property.

**Trademarks:** Products, Brands and Visuals mentioned in this document are trademarks or registered trademarks of their respective holders.

### OVERVIEW



- Main Features
- Topology
- Server Setup
- Authentication Methods
- Portal Customisation
- User Experience
- Use Cases
- Administrator Experience
- References



# MAIN FEATURES

#### MAIN FEATURES



- SaaS: Ready to use on-demand software
  - As a Cloud service by Skylone to SMB customers.
  - As a Shared service from an MSP to its customers.
- Enterprise/Telco grade Hotspot solution:
  - Integration and cooperation with leading security gateway vendors
  - Can be scale up to your security gateway scalability
  - Distributed architecture support via central deployment
  - SSL encrypted traffic on guest networks

#### MAIN FEATURES




- Web based management interface
  - In-house developed unique portal engine
  - Role based management (6 different roles)
  - Profile based management
  - Multilingual support
- Rule 5651 compliant: Guest information recorded on Security Gateway's log records.
- Spotron has been incorporated into the strategy of leading network-security companies.



# TOPOLOGY

### TOPOLOGY





#### TOPOLOGY



- Spotron Server should be placed to DMZ
- Services handled by Spotron:
  - DNS, DHCP, RADIUS, HTTP
- Certificate requirements:
  - Authentication Traffic (for Security Gateway)
    - i.e. gateway.company.com
  - Portal Traffic (for Spotron)
    - i.e. hotspot.company.com



# SERVER SETUP

#### SERVER SETUP



- Spotron software will be installed through an ISO image
- Configuration parameters are predefined :
  - IP addresses, DHCP Scope, Domain Names, etc.
- Installation will be completed as unattended.
- · Can be installed on a virtual environment or on a physical system
- Typical hardware requirements;
  - 2 x CPU core, 2 GB memory, 40 GB Hard Drive, Single Ethernet Interface




### AUTHENTICATION METHODS

#### AUTHENTICATION METHODS



- Gateways on different locations can be configured to use different authentication methods.
- Authentication parameters can be configured globally or based on location (gateway).
- Dynamic ID will be placed as "User
   Name" in log records of Security Gateway.
- Profile based management.
- Multilingual interface (based on browser language)







# ONETIME PASSWORD (SMS OTP) Spotron

- Self Registration
- Authentication
   information will be
   delivered via SMS.
- Abuse protection for frequent SMS requests
- Customisable query fields

	Record Details	
Name	otp	
Display Name	One Time Password	
Second Factor Capable	No	
	Default OTP Configuration	
Password Length	6	
Password Complexity	Simple	
Sending Period (in seconds)	180	
Long-Wait Period (in seconds)	3600	
Access Code Validity	Everytime	
	Default OTP Provider	
OTP Provider	Spotron SMS (Poly)	
	Authentication Default Parameters	
Sender Information	Spotron	
Message Content	[tr Internet erisimi icin dogrulama parolaniz: ((\$otp)))(en Validation code to access internet: ((\$otp)))	
Disclaimer Header	(tr Okudum, Kabul Ediyorum.)(en I have Read and Agree.)	
Subscription Header	(tr  Kurum ve işbirliği içinde olduğu markaların hizmetlerinden, kampanyalarından, tanıtımlarından ve aktivitelerden e-posta, sms ve diğer iletişim yolları ile haberdar olmak istiyorum ve bilgilerimin	
Requested Information Fields Enter one field per line. For example; Full Name *Must not empty @Mobile Number !Verification Code	(tr Adınız, Soyadınız E-Posta Adresiniz @GSM Numaranız &Kullanım Şartları !Erişim Kodu ~Hatırla ?Haberdar Ol )(en  Your Name E-Mail Address @Mobile Number &Disclaimer !Access Code ~Remember ?Subscribe)	

# PREDEFINED (SMS OTP)



- Restricted (predefined)
   users only
- No Self-Registration
- No query fields
- Authentication information will be delivered via SMS.





	Kayıt Bilgileri	
Adı	static	
Görünür Adı	Predefined User	
İlave Doğrulama Yöntemi	Hayır	
Va	ırsayılan Yapılandırma	
Şifre Uzunluğu	8	
Şifre Zorluğu	Basit	
Va	rsayılan OTP Sağlayıcı	
OTP Sağlayıcı	Spotron SMS (Poly)	
Kimlik Do	ğrulama Varsayılan Özellikleri	
Mesaj İçeriği	(tr Internet erisim yetkiniz tanimlanmistir. Giris icin bu sifreyi kullaniniz: ((\$otp)))(en Your credential has been created. Please use this password to access Internet: ((\$otp)))	
Portal Soru Alanları Her satırda bir soru giriniz. Örneğin; @Kullanici Adi !Sifre *Zorunlu alan	(tr @GSM Numaranız !Erişim Kodu &Kullanım Şartları ~Hatırla )(en @Mobile Number !Access Code &Disclaimer ~Remember)	

# APPROVAL (SMS OTP)



- Self Registration
- Approval mechanism through an predefined (or individual) e-mail notification
- Second copy (Cc, Bcc) to a predefined account
- Customisable query fields
- Authentication information will be delivered via SMS after approvement.






#### SMS GATEWAYS



- Profile based SMS gateway management
- WebService and HTTP PUT/GET support
- More than 10 SMS
   provider already
   integrated as a predefined record.



	OTP Sağlayıcı Kayıt Bilgileri	
Kayıt Adı	(44)	
Müşteri	Skylone	
Müşteri Grubu	Skylone	
Yetkili Satıcı	Skylone Technology Ltd.	
Görünür Adı	Spinor Mili Pugy	
Gönderim Yöntemi	Kısa Mesaj	
Açıklama	E - Normal (MMS) E - Place (MMS) Syllice (MS) - (MS) 6 (Komillimacionillims/TR-php)	
	OTP Sağlayıcı Bilgileri	
Kullanıcı Adı	giffeet.	
Şifre	100 FOT 148	
Uygulama Kimliği	-	
Gönderim Adresi	xml version="1.0" ? <packet> <username>(\$user)</username> <password>(\$pass)</password> <originator>SPOTRON</originator> <startdate></startdate> <expiredate></expiredate> <phonenumber>(\$gsm)</phonenumber> <message><![CDATA[(\$text)]]></message> </packet>	
Test Mesajı Gönder	© Çalıştır	

#### OTHER METHODS




- Spotron can be integrated with an external database (Oracle, MS-SQL, MySQL) to check information provided by guest users for authentication.
- TCKN validation through web service of <u>nvi.gov.tr</u> is supported.
- Disclaimer only access is supported.




# PORTAL CUSTOMISATION

### PORTAL CUSTOMISATION






- User interface can be customised easily through management portal.
- Advanced customisation is also supported through changing files on filesystem.



#### DEFAULT TEMPLATE









Default Template usage with <u>background image and logo customisations</u>.

### BASIC TEMPLATE







Basic Template usage with <u>background image and logo customisations</u>.

## INPUT FIELDS



Your Name	
E-Mail Address	
Mobile Number	
Disclaimer	✓ I have Read and Agree.
Remember	
Subscribe	I have agree that the company and can notify me via SMS or e-mail by using information I provided here, regarding promotions, events and campaigns.
	Send Access Code

 Input fields can be changed through management interface without involving HTML code.


Туре	One Time Password
Password Length	6
Password Complexity	Strong
Sending Period (in seconds)	180
Long-Wait Period (in seconds)	3600
Access Code Validity	4 Hours
Time Quota (in minutes)	240
Data Quota (in MB)	1024
Predefined Users Only	Yes
Sender Information	SPOTRON
Message Content	
Disclaimer Header	
Subscription Header	
Requested Information Fields Enter one field per line.	
For example; Full Name *Must not empty @Mobile Number !Verification Code	



# USER EXPERIENCE


# REDIRECTION & SELF REGISTRATION Spotron






### VERIFICATION








### AUTHENTICATION & ACCESS Spotron








# USE CASES

# ABUSE PROTECTION





Abuse protection for consecutive SMS-OTP requests.

© 2015 Skylone Technology Ltd., All Rights Reserved.

\*\* You have requested many access code in short period. The last one sent and valid.

Click "Continue" when access code delivery done.

If your mobile number is incorrect, please correct it. A new access code will then send when you click "Send New Access Code" button after the timeout.

You have requested lots of access code. You need to wait the timeout in order to get a new one.

Click "Continue" when latest access code delivery done.

### SMS-OTP AUTHENTICATION



You most probably gave the wrong mobile number.

Please correct and continue.

We are sorry, we can't be able to send an SMS to your mobile.

Please wait for a while and try again.

Ualidity of the access code has expired.

Please continue to get a new access code.

Please provide the access code sent to your mobile phone.

If you didn't get the access code or want to check information that you provided please click on "Start Over" button.

The access code that we sent before valid, please use it...

If you lost the access code, please click on "Send Again" button to get new one.

The access code that we sent recently still valid.

Click "Continue" when access code delivery done.

If your mobile number is incorrect, please correct it. A new access code will then send when you click "Send New Access Code" button.

Sorry, given access code is not verified. Please check it with the code sent to your mobile and press "Verify" button again.

If you want to check information that you provided or want to get another access code please click on "Start Over" button.

#### AUTHENTICATION WITH APPROVAL



Your access request has been forwarded for approval.

Please wait for a while and verify the access code when you get it by SMS.



Your access request is waiting for approval.

Please wait for a while and verify the access code when you get it by SMS.

Your access request has been approved and the access code that we sent before valid, please use it.

If you lost the access code, please click on "Send Request" button to create new request.

Your access request has been approved. Please provide the access code sent to your mobile phone.

If you didn't get the access code or want to check information that you provided please click on "Start Over" button.

# QUOTA & SERVICE OUTAGES





You have exceed your daily usage quota.. Thank you for using our Hotspot service..



Sorry, the service is temporarily unavailable.


Please wait for a while and try again.



### ADMINISTRATOR EXPERIENCE


### USER ACTIVITIES - SPOTRON





# LOG RECORDS - SPOTRON






### LOG RECORDS - GATEWAY




#### **RULE 5651 COMPLIANCY**



### LOG DETAILS - GATEWAY









# REFERENCES

#### REFERENCES



- Banking companies
- Insurance and Financial companies
- Shopping malls
- Retail companies
- Big enterprises (holding companies) with central deployment
- MSSP provider (solution provided as a central service to it's customers)





**Skylone Teknoloji** Sanayi ve Ticaret Limited Şirketi Barbaros Mah. Kardelen Sk. No:2, Palladium Tower, K10 34746, Ataşehir, İSTANBUL

Telefon: +90 (216) 687 0363 Fax: +90 (216) 687 0303

http://skylone.com/